

Prepared to US-OSHA Standards

(631) 643-1882 AVANT® INSTANT HAND SANITIZER

SDS Revision: 3.0

1. PF	RODUCT AND COM	PANY IDEN	TIFICATION			
1.1	Product Name:	B4 Brands AVANT® INSTANT HAND SANITIZER				
1.2	Product Code:	12089FF				
1.3	Product Heas &				akang puman na kati manggapina ang tanan na kananakan kati mata at pungsiti na hika mata at magpunna	
	Restrictions:	OTC Antimicr	obial Hand Sani	tizer for consumer and occupational use.		
1.4	Supplier Name:	Healthy Clea	n Buildings (R)			
1.5	Supplier Address:	4 Wilmington Drive				
1.6	Business Phone:	Melville,	NY 11747			
1.7	Business Email:	Telephone (631) 643-1882				
1.8	Emergency Phone:	INFOTRAC:	1-800-535-5053	(North America) +1-352-323-3500 (Outside North America)	
-				ns information for an occupational, or workplace, setting.		
11110	ocument is written for the	b puolitagea pre	Jadot and contain	To information of an observational, or workplace, setting.		
2 H/	AZARDS IDENTIFICA	ATION				
2.1	Classification of the		ards: Flammahl	e Liquid - Category 3		
2.1	Substance or			Irritation - Category 2A		
	Mixture:		tal Hazards: Not			
2.2					Lloward	
2.2	Labeling Elements:		al Word: Warnin		Hazard	
				ble Liquid and Vapour. Causes serious eye irritation.	Pictograms:	
				Keep away from heat, hot surfaces, sparks, open flames and		
				oking. Keep container tightly closed. Store in well ventilated	JAL	
				: Rinse cautiously with water for several minutes. Remove	(43)	
				easy to do. Continue rinsing. If eye irritation persists: Get		
		medical advic	e/attention. If me	edical advice is needed, have product container or label at		
		hand. Keep o	ut of reach of ch	ildren. Read label before use. Dispose of waste and residue		
		in accordance	with local author	prity requirements.		
					\·/	
2.3	Other Hazards:	None known.				
3. C0	OMPOSITION / INFO	RMATION O	ON INGREDIE	ENTS		
Mixtu	re:					
CHEN	IICAL NAME		CAS No.	GHS Hazard Classification	% by Weight	
				Flammable Liquid, Category 2	-	
Ethan	ol -		64-17-5	Serious Eye Irritant, Category 2A	60 - 65	
771			L			
				within the current knowledge of the supplier and in the concent		
		th or environm	ental hazards, o	r have been assigned a workplace exposure limit, and hence r	equire reporting in	
this se	ection.					
4. FI	RST AID MEASURE					
4.1	Description of First Ingestion: In case of ingestion, do not induce vomiting without medical advice. Give victim several g				everal glasses of	
	Aid Measures:	water to drink. Never give anything by mouth to an unconscious person. Seek medical attention if necessary.				
		Eyes: In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if				
		present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Skin: If signs of irritation to the skin develop, wash the affected area with plenty of water and soap. Seek				
			Soap. Occk			
medical attention in the event of an adverse reaction or if symptoms persist. Inhalation: If respiratory distress or irritation occurs, remove victim to fresh air. Seek med			attention in the			
		event of an adverse reaction or if symptoms persist.				
4.2	Most Important	event of an adverse reaction of it symptoms persist.				
4.2	4					
Symptoms and Direct contact with eyes may cause serious eye irritation. Symptoms may redness.			cause serious eye irritation. Symptoms may include stinging, te	aring, and		
	and Delayed:					
4.3	and Delayed: Indication of					
4.3						
4.3	Indication of Immediate Medical	Provide gene	ral supportive me	easures and treat symptomatically. No known specific antidote	s.	
4.3	Indication of	Provide gene	ral supportive me	easures and treat symptomatically. No known specific antidote	s.	



Prepared to US-OSHA Standards

(631) 643-1882 AVANT® INSTANT HAND SANITIZER

SDS Revision: 3.0

	RE FIGHTING MEAS							
5.1	Extinguishing Media:	Suitable Extinguishing Media: Water mist, dry chemical, alcohol resistant foam, or carbon dioxide. Unsuitable Extinguishing Media: None known.						
5.2	Specific Hazards:	Warning! Flammable liquid and vapor. When heated above the flash point, vapours may burn or form explosive mixture with air. May produce oxides of carbon and/or nitrogen on combustion.						
5.3 Special Protective Equipment and Precautions for Wear self-contained breathing apparatus and full personal protective gear. Use standard firefighting procedures.								
	Firefighters:							
· A/	CCIDENTAL DELEA	CE MEACURES						
5.1	CCIDENTAL RELEA	SE WEASURES						
,. ı	Precautions,	Observe all personal protection equipment recommendations described in Section 8. Remove all sources of ignition and ensure adequate ventilation. Ventilate closed spaces before entering them. Keep unnecessary personnel away.						
.2	Environmental Precautions:	Dike or contain spill to prevent from entering drains. Avoid direct release to drains, surface and ground water.						
5.3	Methods and Material for Containment and Cleaning Up:	Clean up spill with non-combustible absorbent material. Clean area to prevent a slip hazard. Dispose of all washings, sweepings, and absorbents in accordance with federal, state and local regulations. Use non-sparking tools and equipment. Take action to prevent static discharges.						
	ANDLING AND STO							
.1	Precautions for Safe Handling:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Utilize safe handling and transportation techniques to avoid spillage or rupture of the product. Ensure adequate ventilation in the workplace. Avoid direct eye contact. Do not eat, drink, or smoke while handling. Wear appropriate personal protective equipment (see Section 8). Routinely wash work clothing and protective equipment. Observe good hygiene practices.						
						ppropriate personal		
.2	Conditions for Safe Storage:	protective equipment (hygiene practices. Store in a cool, dry, and	see Section 8). Ro	outinely wash work clotl area away from direct si		ppropriate personal pment. Observe good e materials (see		
	Storage:	protective equipment (shygiene practices. Store in a cool, dry, and Section 10). Do not stot to 40°C (39 to 104°F).	see Section 8). Ro d well-ventilated a re near heat, spar	outinely wash work clotl area away from direct si	ning and protective equipun-light and incompatible	ppropriate personal pment. Observe good e materials (see		
3. E	Storage:	protective equipment (shygiene practices. Store in a cool, dry, and Section 10). Do not stot to 40°C (39 to 104°F).	see Section 8). Ro d well-ventilated a re near heat, spar	outinely wash work clotl area away from direct si	ning and protective equipun-light and incompatible	ppropriate personal pment. Observe good e materials (see		
3. E	Storage:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI	see Section 8). Rod well-ventilated a pre near heat, span	outinely wash work cloth area away from direct so rks, open flames and of	ning and protective equipun-light and incompatible	ppropriate personal pment. Observe good e materials (see pre at temperatures 4		
7.2 3. EX	Storage:	protective equipment (shygiene practices. Store in a cool, dry, and Section 10). Do not stot to 40°C (39 to 104°F).	see Section 8). Ro d well-ventilated a re near heat, spar	outinely wash work clotherea away from direct sortes, open flames and of Occoording Octoording Octo	ning and protective equipun-light and incompatible ther ignition sources. Sto	ppropriate personal pment. Observe good e materials (see pre at temperatures 4		
3. E	Storage:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol	ROTECTION CAS Number 64-17-5	Occ OSHA PEL (TWA) 1900 mg/m³	un-light and incompatible ther ignition sources. Stoupational Exposure Lieunion NIOSH REL. (TWA) 1000 ppm 1900 mg/m³	ppropriate personal pment. Observe good e materials (see pre at temperatures 4 mits ACGIH TLV (STEL)		
3. EX	Storage:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol	ROTECTION CAS Number 64-17-5	Occ OSHA PEL (TWA) 1900 mg/m³	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm	ppropriate personal pment. Observe good e materials (see pre at temperatures 4 Maries ACGIH TLV (STEL)		
3. E	XPOSURE CONTRO Control Parameters: Engineering Controls: Respiratory Protection:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resi	ROTECTION CAS Number 64-17-5 illation in the work	Occ OSHA PEL (TWA) 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ ne levels below recomm	ppropriate personal pment. Observe good e materials (see pre at temperatures 4 March 1997) mits ACGIH TLV (STEL) 1000 ppm nended exposure		
3. E) 3.1 3.2	XPOSURE CONTRO Control Parameters: Engineering Controls: Respiratory Protection: Eye Protection:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resident approved resident approved in the workplace.	ROTECTION CAS Number 64-17-5 illation in the work pirrator in accordant ar protective eyew	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe good e materials (see pre at temperatures 4 March 1997) mits ACGIH TLV (STEL) 1000 ppm nended exposure		
3. EX.1 .1	XPOSURE CONTRO Control Parameters: Engineering Controls: Respiratory Protection:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resident approved resident approved in the workplace.	ROTECTION CAS Number 64-17-5 illation in the work pirrator in accordant ar protective eyew	Occ OSHA PEL (TWA) 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe good e materials (see pre at temperatures 4 March 1997) mits ACGIH TLV (STEL) 1000 ppm nended exposure		
. EX. 1	Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resing the workplace. No special skin protect	ROTECTION CAS Number 64-17-5 illation in the work pirator in accordant ar protective eyewtion is required und	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe good pment. Observe good pment good good pment good pment good good pment good good good good good good good goo		
. EX. 1	Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection: HYSICAL AND CHEM	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resing the workplace. No special skin protect MICAL PROPERTIE Clear, colorless fluid gets.	ROTECTION CAS Number 64-17-5 illation in the work pirator in accordant ar protective eyewtion is required und	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe goode materials (see pre at temperatures 4 mits ACGIH TLV (STEL) 1000 ppm nended exposure		
.2 .3 .4 .5 .PI	Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection: HYSICAL AND CHEMAPpearance: Odor:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resilimits. NIOSHA approved resilimits. No special skin protect MICAL PROPERTIE Clear, colorless fluid ge Alcohol	ROTECTION CAS Number 64-17-5 illation in the work pirator in accordant ar protective eyew ion is required und	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe goode materials (see pre at temperatures 4 mits ACGIH TLV (STEL) 1000 ppm nended exposure		
.2 .3 .4 .5 .1 .2	Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection: HYSICAL AND CHEM Appearance: Odor: Odor Threshold:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resing the workplace. No special skin protect MICAL PROPERTIE Clear, colorless fluid go Alcohol No data available on the	ROTECTION CAS Number 64-17-5 illation in the work pirator in accordant ar protective eyew ion is required und	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe goo e materials (see pre at temperatures 4 mits ACGIH TLV (STEL) 1000 ppm nended exposure		
.2 .3 .4 .5 .1 .2 .3	Engineering Control Parameters: Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection: HYSICAL AND CHEM Appearance: Odor: Odor Threshold: pH:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resing the workplace. No special skin protect MICAL PROPERTIE Clear, colorless fluid go Alcohol No data available on the 10.0 - 7.5	ROTECTION CAS Number 64-17-5 illation in the work pirator in accordant ar protective eyew ion is required und S el	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe goo e materials (see pre at temperatures 4 mits ACGIH TLV (STEL) 1000 ppm nended exposure		
.2 .3 .4 .5 .9	Engineering Control Parameters: Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection: HYSICAL AND CHEM Appearance: Odor: Odor Threshold: pH: Melting Point:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resing the workplace. No special skin protect MICAL PROPERTIE Clear, colorless fluid go Alcohol No data available on the footometric store of the color of the c	ROTECTION CAS Number 64-17-5 illation in the work pirator in accordant ar protective eyew ion is required und S el	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe good ment. Observe good ment. Observe good menter at temperatures of the materials (see pre at temperatures of temperature). In the materials of the materials (see pre at temperatures of temperatures of temperatures of the materials of the materials (see pre at temperatures of tempera		
.2 .3 .4 .5 PI .1 .2 .3 .4 .5 .6	Engineering Control Parameters: Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection: HYSICAL AND CHEM Appearance: Odor: Odor Threshold: pH: Melting Point: Freezing Point:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resing the workplace. No special skin protect MICAL PROPERTIE Clear, colorless fluid go Alcohol No data available on the 10.0 - 7.5	ROTECTION CAS Number 64-17-5 illation in the work pirator in accordant ar protective eyew ion is required und S el	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe good ment. Observe good ment. Observe good ment. See ore at temperatures of the materials (see ore at temperatures of the		
3. EX	Engineering Control Parameters: Engineering Controls: Respiratory Protection: Eye Protection: Skin Protection: HYSICAL AND CHEM Appearance: Odor: Odor Threshold: pH: Melting Point:	protective equipment (shygiene practices. Store in a cool, dry, an Section 10). Do not sto to 40°C (39 to 104°F). LS / PERSONAL PI CHEMICAL NAME Ethanol Provide adequate vent limits. NIOSHA approved resing the workplace. No special skin protect MICAL PROPERTIE Clear, colorless fluid go Alcohol No data available on the footometric store of the color of the c	ROTECTION CAS Number 64-17-5 iilation in the work pirator in accordant ar protective eyew ion is required und S el iis product iis product iis product	Occ OSHA PEL (TWA) 1000 ppm 1900 mg/m³ place to maintain airbor	un-light and incompatible ther ignition sources. Stoupational Exposure Line NIOSH REL. (TWA) 1000 ppm 1900 mg/m³ The levels below recommendate in the service of the service service in the service of t	ppropriate personal pment. Observe good ment. Observe good ment. Observe good menter at temperatures of the materials (see pre at temperatures of temperature). In the materials of the materials (see pre at temperatures of temperatures of temperatures of the materials of the materials (see pre at temperatures of tempera		



Prepared to US-OSHA Standards

(631) 643-1882 AVANT® INSTANT HAND SANITIZER

SDS Revision: 3.0

9.9	Evaporation Rate:	No data available on this product		
9.10	Flammability	No data available on this product		
	((solid, gas):			
9.11 Upper/Lower		UEL: 19.0% (ethanol)		
	Flammability or	LEL: 3.3% (ethanol)		
	Explosive Limits:			
9.12	Vapor Pressure:	No data available on this product		
9.13	Vapor Density:	No data available on this product		
9.14	Relative Density	0.810 - 0.870		
	(water=1.0):			
	Solubility:	Soluble in water		
9.16	Partition Coefficient (n-octanol/water):	No data available on this product		
9.17	Autoignition	No data available on this product		
	Temperature:	No data available on this product		
9.18	Decomposition	No data available on this product		
	Temperature:	No data available on this product		
9.19 Viscosity: No data available on this product				
9.20	Other Information:	No relevant additional information available on this product		
10. S	TABILITY AND REA			
10.1	Reactivity:	The product is not reactive under normal conditions of use, storage and transport.		
10.2	Chemical Stability:	This product is stable under normal handling and storage conditions.		
10.3	Possibility of			
	Hazardous	No hazardous reactions known under conditions of normal use. Hazardous polymerization is not expected.		
	Reactions:			
	Conditions to Avoid:	Direct sunlight, extremely high or low temperatures, sparks, open flame, and other ignition sources.		
10.5	Incompatible	Strong acids, bases, and oxidizing agents.		
	Materials:			
10.6	Hazardous	No hazardous decomposition products are known. May produce oxides of carbon and/or nitrogen on		
	Decomposition	combustion.		
	Products:			
44 T	OVICOL OCICAL IN	FORMATION		
	OXICOLOGICAL IN			
preser	nation on Toxicological nt, and in accordance wit onent data not shown.	Effects : Health effects of the mixture are derived from product data, ingredient information of concentrations h US OSHA Regulation 29 CFR 1910.1200. Classifications for the mixture may be based on additional		
		Effects and Symptoms:		
		Direct contact with eyes may cause serious eye irritation. Symptoms may include stinging, tearing, and redness.		
	Skin Contact:	No adverse effects expected from normal use. Prolonged and repeated skin exposure may cause defatting,		
	J.311 # 51114011	drying and cracking of the skin.		
	Ingestion:	No adverse effects expected from normal use. May cause gastrointestinal discomfort/irritation if swallowed.		
		Ingestion of high concentrations may cause nausea, vomiting, and signs of central nervous system		
		depression (headache, dizziness and drowsiness).		
	Inhalation:	No adverse effects expected from normal use. Excessive inhalation may cause nausea, vomiting, and signs of		
		central nervous system depression (headache, dizziness, and drowsiness).		
11.2	Potential Chronic Health Effects: None known			
the second or property and the second	Acute Toxicity:	Product Summary/Conclusion: Classification criteria are not met.		
		Acute Toxicity Estimate: Calculation Method		
		Oral: > 11,000 mg/kg		
		Dermal: > 33,000 mg/kg		
	Components:	Ethanol: CAS 64-17-5		
		Oral LD50: 7060 mg/kg (Rat)		
		Dermal LD50: 20,000 mg/kg (Rabbit)		



Prepared to US-OSHA Standards

(631) 643-1882 AVANT® INSTANT HAND SANITIZER

SDS Revision: 3.0 SDS Revision Date: 10Jan19

11.4	Skin Corrosion/	Product Summary/Conclusion: Classification criteria are not met.
200700000000000000000000000000000000000	Irritation:	Product: Human Repeat Insult Patch Test - No evidence of skin irritation.
		Ethanol: CAS 64-17-5
		Acute Dermal Irritation/Corrosion, OECD 404, Rabbit: Not irritating to skin
		Modified Draize 1944 for Human Repeat Occluded (95% active): Slightly irritating under extreme
		repeat dose situations.
11.5	Serious Eye	Product Summary/Conclusion: Causes serious eye irritation.
	Damage/Irritation:	Ethanol: CAS 64-17-5
	241149	Acute Eye Irritation/Corrosion, OECD 405, Rabbit (100% active): GHS Category 2A eye irritant.
11.6	Respiratory or Skin	Product Summary/Conclusion: Classification criteria are not met.
	Sensitization:	Product: Human Repeat Insult Patch Test - No evidence of skin sensitization.
	O TI O TI D TI D TI D TI D TI D TI D TI	Ethanol: CAS 64-17-5
		Respiratory Sensitization: No reports of human respiratory sensitization.
		Skin Sensitization: No skin sensitization evident in animal studies at 75% concentration.
44.7	Germ Cell	Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or
11.7	INC. INC. DATE: N. C.	any components present at greater than 0.1% are mutagenic or genotoxic.
	Mutagenicity:	Ethanol: CAS 64-17-5
		In-vitro: Negative for bacterial reverse mutation test (OECD 471) in Salomella typhimurium up to
	20	maximum plate concentration of 10 mg/plate, with and without metabolic activation.
11.8	Carcinogenicity:	No components at levels greater than or equal to 0.1% are listed as carcinogens by IARC, US OSHA or NTP. Product Summary/Conclusion: Classification criteria are not met. No data available to indicate product or
11.9	Reproductive	Product Summary/Conclusion: Classification criteria are not friet. No data available to induct of
	Toxicity:	any components present at greater than 0.1% cause reproductive or developmental effects.
		Ethanol: CAS 64-17-5
		Two-Generation Reproduction Toxicity, OECD 416, Mouse, Oral: NOAEL 15% (20.7g/kg/day) (highest
		concentration tested)
		Prenatal Developmental Toxicity, OECD 414, Rat, Inhalation: NOAEL (maternal toxicity) 16,000 ppm,
		NOAEL (teratogenicity) > 20,000 ppm (highest concentration tested)
11.10	STOT-Single Exposure:	Not classified due to lack of data.
11.11	STOT-Repeated	Product Summary/Conclusion: Classification criteria are not met.
	Exposure:	Ethanol: CAS 64-17-5
		90-Day Oral Toxicity, Mouse: NOAEL > 9400 mg/kg (total dose), LOAEL 9700 mg/kg
		Repeated Dose Inhalation Toxicity, Rat, 4 weeks (6 hours/day, 5 days/week): NOAEC > 6130 ppm
11.12	Aspiration Hazard:	Not classified due to lack of data.
	4	
12. E	COLOGICAL INFO	RMATION
12.1	Ecotoxicity:	Product Summary/Conclusion: Classification criteria are not met.
		Ethanol: CAS 64-17-5
		Aquatic Plants EC50: 275 mg/L, 72 hours (Chlorella vulgaris: fresh water algae)
		Crustacea LC50: 12,340 mg/L, 48 hours (Daphnia magna); EC50: 23,874 mg/L, 24 hours (Artemia
		salina)
		Fish LC50: > 10,000 mg/L, 96 hours (rainbow trout); > 13,400 mg/L, 96 hours (fathead minnow)
12.2	Persistence and	Ethanol: CAS 64-17-5
	Degradability:	Readily biodegradable
12.3	Bioaccumulative Potential:	Ethanol (CAS 64-17-5): -0.31 (log Kow)
12.4	Mobility in Soil:	No data available
and print the last of the last	111101011111	
1125	Other Adverse	A CONTRACTOR OF THE CONTRACTOR
12.5	Other Adverse Effects:	No other known adverse environmental effects or critical hazards.
	Effects:	
13. D	Effects:	ERATIONS
	Effects: DISPOSAL CONSIDE Waste Disposal	ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large
13. D	Effects:	ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for
13. D 13.1	Effects: DISPOSAL CONSIDE Waste Disposal Methods:	ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.
13. D 13.1	Effects: PISPOSAL CONSIDE Waste Disposal Methods: Special Precautions:	ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for
13. D	Waste Disposal Methods: Special Precautions: US EPA (RCRA)	ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal. Observe all precautions for ignitable waste.
13. D 13.1	Effects: PISPOSAL CONSIDE Waste Disposal Methods: Special Precautions:	ERATIONS Dispose of in accordance with appropriate federal, state, and local regulations. Avoid direct release of large quantities to sewage drains. Empty containers should be taken to an approved waste handling site for recycling or disposal.



Prepared to US-OSHA Standards

(631) 643-1882 AVANT® INSTANT HAND SANITIZER

SDS Revision: 3.0

	RANSPORT INFOR US DOT (GROUND):			
14.1	Consumer Commodity, Limited Quantity			
	IATA (AIR):	Consumer Commodity, ID 8000, Class 9		
	IMDG (OCEAN):	UN 1170, Ethanol Solutions, Class 3, Packing Group III, Limited Quantity		
14.6	Environmental Hazards:	Not regulated		
14.7	Transport in Bulk According to Annex II of Marpol and the IBC Code:	Not applicable		
4.8	Special Precautions	Transport within user's premises: Transport in closed containers that are upright and secure. Read SDS and		
	for User:	emergency procedures before handling.		
15. R	EGULATORY INFO	RMATION		
5.1	SARA 302 TPQ:	No chemical components in this product are listed.		
15.2	SARA 304 RQ:	No chemical components in this product are listed.		
15.3	SARA 311/312:	Not applicable - product is exempt.		
5.4	SARA 313:	No chemical components in this product are listed.		
15.5	CERCLA RQ:	RCRA D001/Unlisted Ignitable Hazardous Waste, Ethanol = 100 lbs		
15.6	Clean Air Act (CAA) Section 112(r) TQ:	No chemical components in this product are listed.		
15.7	Clean Water Act (CWA):	No chemical components in this product are listed.		
15.8	California Proposition 65:	This product is not subject to California warning labeling for carcinogens or reproductive toxins.		
	THER INFORMATION			
16.1	Legend:	ACGIH: American Conference of Governmental Industrial Hygienists		
		CAS: Chemical Abstracts Service		
		CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act		
		CFR: Code of Federal Regulations		
		DOT: (US) Department of Transportation		
	*	EC50: Effective Concentration, 50%		
		EPA: (US) Environmental Protection Agency		
		GHS: Globally Harmonized System of Classification and Labeling Chemicals		
		IATA: International Air Transport Association		
		IARC: International Agency for the Research of Cancer		
		IBC: Intermediate Bulk Container		
	A .	IMDG: International Maritime Dangerous Goods		
		LC50: Lethal Concentration, 50%		
		LD50: Lethal Dose, 50%		
		LOAEL: Lowest Observed Adverse Effect Level		
		Log Kow: Logarithm of the n-octanol/water partition coefficient NIOSH: National Institute for Occupational Safety and Health		
		NOAEC: No Observed Adverse Effect Concentration		
		NOAEC: No Observed Adverse Effect Concentration NOAEL: No Observed Adverse Effect Level		
		NTP: National Toxicology Program		
		OECD: Organisation for Economic Co-operation and Development		
		OSHA: (US) Occupational Safety & Health Administration		
		OTC: Over-The-Counter		
		PEL: Permissible Exposure Limit		
		RCRA: Resource Conservation and Recovery Act		
		REL: Recommended Exposure Limit		
		RQ: Reportable Quantity		
		SARA: Superfund Amendments and Reauthorization Act		
		STEL: Short Term Exposure Limit STOT: Specific Target Organ Toxicity		



Prepared to US-OSHA Standards

(631) 643-1882 AVANT® INSTANT HAND SANITIZER

SDS Revision: 3.0

SDS Revision Date: 10Jan19

16.2	Disclaimer:	TLV: Threshold Limit Value TPQ: Threshold Planning Quantity TQ: Threshold Quantity TWA: Time Weighted Average This Safety Data Sheet is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information set forth herein has been compiled from sources considered to be reliable and is believed to be accurate as of the date of publication. This information is offered in good faith by B4 Brands and the accuracy, suitability or completeness is not guaranteed, and no warranties of any type, either expressed or implied, are provided. If this product(s) is combined with other materials, all component properties must be considered. The user assumes all liability for any damage or from any hazards inherent in the nature of the product.
16.3 16.4	Last Revision Date:	21Sep17 Updated format and to current regulations.



Healthy Clean Buildings

4 Wilmington Drive • Melville, New York 11747
Tel: (631) 643-1882 Website: www.cleaningpro.com
Fax: (631) 643-4649 e-mail: healthycleanblgs@gmail.com