



# SAFETY DATA SHEET ( SDS )



Date Revised : 06 / 15  
Supersedes : 11 / 13

**GROUT SMART**  
**TILE & GROUT RENOVATOR**  
**REJUVENATES & RE-BRIGHTENS GROUT LINES**

**MADE FROM AN ENVIRONMENTALLY -**  
**CERTIFIED CONCENTRATE**  
**CLEANS HEAVY SOILS & SOAP SCUM**

## SECTION 1 : IDENTIFICATION OF SUBSTANCE / COMPANY

PRODUCT NAME / IDENTIFIER :  
PRIMARY APPLICATION / RECOMMENDED USAGE :

**" GROUT SMART " – Dilutable Concentrate**  
**< 4% Stabilized Hydrogen Peroxide Solution Peroxide Solution**  
A Heavy-duty cleaner / degreaser which restores and brightens tile & grout, brick, stone and marble to its original color.. Rejuvenates and renovates grout lines through its residue-free cleaning power . Destroys Odors . Removes tough soap scum. Combines the Natural Strength of Stabilized H2O2, Natural Orange Oil , and Plant – based Surfactants which cuts through grease and grime while deodorizing hard surfaces. Derived as an equivalent version of the "GREEN SEAL" ( GS-37 ) Environmentally- certified HydroxiPro #128 -4% ( # 256-8% ) Multi-tasking Concentrate via our Automatic Dispensing System at the " RED " Dilution Level . "GROUT SMART" safely renovates, cleans and maintains hard surfaces , especially in bathrooms .  
**HEALTHY CLEAN BUILDINGS**  
4 Wilmington Drive  
Melville, New York 11747  
1-631-643-1882  
**CHEMTREC :1-800-424-9300 ( ref. : Core )**  
Refer to Product Label

DISTRIBUTED EXCLUSIVELY BY :

INFORMATION TELEPHONE :  
EMERGENCY TELEPHONE ( 24 hour ) :  
USAGE RESTRICTIONS :

## SECTION 2 : HAZARD(S) IDENTIFICATION

While this product is not considered hazardous , this SDS contains valuable information critical to the safe handling and proper use of the product . This SDS should be made available to users of this product . Prolonged or repeated skin contact in an occupational setting may result in irritation and in these situations, the use of chemical resistant gloves is recommended. This product is not regarded as a mutagen or carcinogen, and there is low concern for reproductive, developmental, or nervous system toxic effects.

### Classification of the substance or mixture ( GHS-US )

Skin Irritation 2 H315  
Eye Damage 1 H318  
Skin Sensitivity 1 H317

**Label Elements**  
Hazard Pictograms

( GHS-US Labeling )



Mild Skin & Eye Irritant  
Respiratory Tract Irritant

Signal Word :  
Hazard Statements :

Warning  
H315 – Causes Mild Skin Irritation as a water diluted product .  
H317 – May cause an allergic skin reaction .  
H318 – May cause serious eye irritation as a diluted product .



**GROUT SMART  
TILE & GROUT RENOVATOR  
REJUVENATES & RE-BRIGHTENS GROUT LINES**

**MADE FROM AN ENVIRONMENTALLY -  
CERTIFIED CONCENTRATE  
CLEANS HEAVY SOILS & SOAP SCUM**

**HAZARD ( S ) IDENTIFICATION ( continued )**

**Precautionary Statements** P261 – Avoid breathing dust / mist/ spray .  
P264 - Wash hands and forearms thoroughly after handling  
P280 – Wear Protective gloves / eye protection  
P302 + P352 – If on skin, wash with plenty of soap and water  
P305+P351+P338 – If in eyes, rinse cautiously with water for several minutes .  
If easy to do, remove contact lenses .Continue rinsing  
P337+P313 – If eye irritation persists , get medical advice/attention .  
P310 – Immediately call a poison center / doctor .  
P321 – Specific treatment ( see First Aid Measures on Product Label / SDS )  
P332+P313 – If skin irritation occurs, get medical advice / attention  
P333+P313 – If skin irritation or rash occurs, get medical advice / attention  
P362+P364 – Take off contaminated / soiled clothes and wash before reuse  
P501 – Dispose of contents / container in accordance with local / regional/ national / int'l regulations

**Other Hazards :** None

**Ingredients with Unknown Acute Toxicity :** Not Established

**SECTION 3 : COMPOSITION / INFORMATION ON INGREDIENTS :**

**Chemical characterization :** Mixture

**Hazardous Components :**

<u>Ingredient :</u>	<u>CAS Number :</u>	<u>Percent :</u>	<u>OSHA / PEL :</u>	<u>ACGIH / TLV :</u>
Hydrogen Peroxide	7722-84-1	< 4%	1.4 mg/m3	1.4 mg/m3
Alcohol Ethoxylate	68131-39-5	< 3%	NE	NE
Orange Oil	8008-57-9	<=2.5 %	NE	NE

NOTE : Approximate percentages – Exact percentages and identities are withheld as trade secrets

**SECTION 4 : FIRST AID MEASURES**

**Description of Necessary Measures :**

**Relevant Routes of Exposure :** Skin Contact , Eye Contact , Ingestion

**After Skin Contact :** Wash with plenty of mild soap and water ; followed by a warm water rinse . Apply a topical antiseptic agent to open wounds or broken skin . Remove contaminated clothing and shoes . Launder soiled , contaminated clothing before reuse . If skin irritation or rash persists, seek medical attention ( P332+P313 ) .

**After Eye Contact :** Rinse cautiously with warm running water for 15 minutes , lifting upper and lower lids occasionally .. If easy to do, remove contact lenses .Continue water rinsing . ( P 305+P351+P338 If eye irritation persists such as blinking , redness , or pain , seek medical attention . ( P337 + P313 ) .

**After Ingestion :** Do Not Induce vomiting unless advised by a physician or poison control center . If patient is fully conscious , continue to rinse mouth with water and drink 2-3 glasses of water .If adverse conditions persist , seek medical attention . Never give anything by mouth if victim is unconscious, rapidly losing consciousness , or is convulsing .Call a Poison Control Center / Doctor / Physician, if necessary ( P312 ) .

**After Inhalation :** Move to fresh air . Keep individual at rest in a position comfortable for breathing .Consult a doctor if adverse conditions persist ( P261 ) .

**Note to Physicians :** Treat symptomatically .

**SECTION 5 : FIRE FIGHTING MEASURES :**

**Suitable Extinguishing Media :** Water Fog, Alcohol Foam, Dry Chemical

**Unsuitable Extinguishing Media :** None

**Flammability :** Not Flammable ( Aqueous Solution )

**Flashpoint ( °F, °C , PMCC ) :** > 212°F

**Special Protective Equipment for Fire Fighters :** Wear self-contained Respiratory Protective Device . Wear fully protective suit .



**GROUT SMART**  
**TILE & GROUT RENOVATOR**  
**REJUVENATES & RE-BRIGHTENS GROUT LINES**  
**SECTION 6 : ACCIDENTIAL RELEASE MEASURES**

**MADE FROM AN ENVIRONMENTALLY -  
CERTIFIED CONCENTRATE**  
**CLEANS HEAVY SOILS & SOAP SCUM**

Ventillate area with fresh air . In case of unusual, excessive chemical fumes, use a respiratory protective device . Exercise caution from slipping on leaked / spilled product .

**Leak and Spill Procedure :** Collect excess product for disposal . Clean up remaining product from spill with appropriate liquid-binding absorbent ( ie : sand, diatomite , universal binders , sawdust ) . For large spills , provide diking or other containment measures to prevent spreading . If diked product can be pumped, store recovered product in compatible drums for recovery or disposal . Clean area with warm water several times to prevent any future slip hazards . Observe personal protective equipment recommendations .

**Environmental Precautions :** Make best efforts to prevent entry into sewers and public waters. Take extreme measures to prevent large quantities of product to reach ground water, water course, or sewage system .

**SECTION 7 : HANDLING & STORAGE REQUIREMENTS**

**KEEP OUT OF REACH OF CHILDREN**

**Precautions for Safe Handling :** Read product literature, label , and SDS before use . Use product strictly according to label directions .

Wash hands and other exposed areas with soap and water before eating, drinking, smoking; or when leaving work . Provide adequate ventilation in storage area to prevent formation of fumes . Avoid personal contamination, especially inhalation , after a spill .


**Hygiene Measures :** Wash hands and forearms thoroughly after handling . Launder soiled, contaminated clothing before re-use .

**Safe Storage Conditions :** Keep in original container in a cool , well-ventilated place away from open flames . Keep container closed when not in use .

**Incompatible Products :** Caustic Alkalis or Caustic Acids

**Incompatible Circumstances :** Sources of Ignition ( ie ; open flames ) . Direct sunlight .

**SECTION 8 : EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Health & Safety Accreditation :** Derived from a  NSF Accredited concentrate .

This diluted, finished product used as per label directions is not considered to be a harmful in the workplace .

**Workplace Control Parameters :** Hydrogen Peroxide, Concentrate=35%, Aqueous Solution ( 7722-84-1 )

USA ACGIH TWA ( ppm ) ..... 1 ppm

USA ACGIH STEL ( ppm ) ..... 1 ppm

**Engineering Controls :** Adequate general ventilation

**Personal Protective Equipment :** Avoid unnecessary exposure

**Respiratory Protection :** May not be required under normal conditions of use . Wear appropriate mask or respiratory protective device when misted or fogged . For unplanned spills, respiratory protection may be advisable .

**Skin / Hand Protection :** Wear chemical-resistant gloves ( ie : rubber, nitrile rubber, neoprene ) . For skin and body protection , usually no protective clothing is required under normal , stable conditions . Under unusual, unstable conditions , wear appropriate protective clothing .

**Eye Protection :** Wear chemical goggles, safety glasses , or full face shield .

**Other Information :** DO NOT eat, drink, or smoke during use .

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State :** Liquid

**pH ( as is ) :** 6.0-6.5

**Freezing Point :** < 32 °F, < 0 °C

**Solubility in Water :** 100 % Miscible

**Explosive Limits :** Undetermined

**Partition coefficient :** ( n-octanol/water ) Undetermined

**Specific Gravity ( Water = 1 ) : @ 68 °F ( 20 °C ) :** 1.01

**Color :** Clear - Amber

**Relative Evaporation Rate ( butyl acetate=1 ) :** NA

**Boiling Point :** >212 ° F

**Evaporation Rate (Ethyl Ether=1 ) :** >1

**Vapor Pressure :** Undetermined

**Auto-ignition Temperature :** Undetermined

**Odor :** Citrus

**Melting Point :** Undetermined

**Flashpoint :** ≥ 200 ° F

**Flammability :** NA

**Relative Density :** Undetermined

**Decomposition Temp. :** Undetermined



**GROUT SMART  
TILE & GROUT RENOVATOR  
REJUVENATES & RE-BRIGHTENS GROUT LINES**

**MADE FROM AN ENVIRONMENTALLY -  
CERTIFIED CONCENTRATE  
CLEANS HEAVY SOILS & SOAP SCUM**

**SECTION 10 : STABILITY AND REACTIVITY**

**Reactivity :** No Additional Information Available

**Chemical stability :** Stable under Normal Conditions

**Possibility of Hazardous Reactions :** Reacts with strong acids . Reacts with strong oxidizing agents . Reacts with reducing agents .

**Conditions to Avoid :** Direct Sunlight . Extremely High or Low Temperatures **Incompatible Materials :** Strong Acids/Strong Alkalis/Strong Oxidizing Agents

**Hazardous Decomposition By-products :** Carbon Monoxide Fumes / Carbon Dioxide **Fumes Hazardous Polymerization :** NA

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**Information on Toxicological Effects :** Any hazards associated with this finished product are listed in SECTION 2 of this SDS . This product is not regarded as a mutagen or carcinogen, and there is low concern for reproductive, developmental, or nervous system toxic effects .

**Likely Routes of Exposure ( "Grout Smart " ) :** Inhalation, Skin Contact , Eye Contact , Ingestion .

**Inhalation :** Irritating to the respiratory tract , if inhaled .Nuisance dust is 10 mg/ m3 of total dust . If an allergic reaction does occur , move individual to fresh air . If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

**Skin Contact :** May be irritating with prolonged contact . In extreme cases , if " Redness " or Sensitization occurs through direct skin contact , seek the attention of a physician immediately .

**Eye Contact :** Irritating Effect May Occur Through Direct Contact . In extreme cases , if "redness" and watering of eyes persists , seek the attention of a physician immediately .

**Ingestion :** Not anticipated route of exposure . May cause gastric irritation if ingested in large quantities .

**Symptoms Related to the Physical, Chemical, and Toxicological Characteristics :** Eye and skin Irritation

Acute Toxicity , Toxicological ( see table below )

**Measures of Acute Toxicity by Ingredients :** The following Acute Toxicity Estimates ( ATE ) are calculated on this GHS document . Toxicological Data of complete product are not available .No classification on the basis of the calculation procedure of the preparation directive . Data not available or is insufficient for classification . The toxicity data listed pertaining to the ingredients are intended for those working in the medical professions , experts for occupational health and safety, and toxicologists . The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials . This finished product used as per label directions is not considered to be a harmful in the workplace by IARC, ACGIH, NTP, or OSHA .

**Available Delayed and Immediate Effects ( Chronic Effects from Short and Long Term Exposure ) :** Warning after prolonged , extended skin absorption . Toxic and / or Corrosive Effects may be delayed up to 48 hours after use .

**Measures of Acute Toxicity ( "Grout Smart " ) :** No Further Information Available

**Teratogenicity, Mutagenicity ( "Grout Smart " ) :** No Data Available

**Reproductive Toxicity ( "Grout Smart " ) :** Not Classified

**Specific Target Organ Toxicity ( Single Exposure ) ( "Grout Smart " ) :** Not Classified

**Specific Target Organ Toxicity ( Repeated Exposure ) ( "Grout Smart " ) :** Not Classified

**Carcinogenic Categories :** None of the Ingredients are listed

**Hydrogen Peroxide –cas # : 7722-84-1 ( @30% Aqueous Solution ONLY )**

Product / Ingredient Name :	Result :	Species :	Exposure :
Hydrogen Peroxide cas # 7722-84-1	LD 50 Oral	Rat	910 mg / kg
	LD 50 Skin	Rat	3 gm / kg
	LD 50 Intravenous	Mouse	>50 gm / kg
	LD 50	Rabbit	820 mg / kg

<http://wcam.engr.wisc.edu/Public/Safety/MSDS/Hydrogen%20peroxide%20.pdf>



**GROUT SMART  
TILE & GROUT RENOVATOR  
REJUVENATES & RE-BRIGHTENS GROUT LINES**

**MADE FROM AN ENVIRONMENTALLY -  
CERTIFIED CONCENTRATE  
CLEANS HEAVY SOILS & SOAP SCUM**

**TOXOLOGICAL INFORMATION ( continued )**

Hydrogen Peroxide, 30% Aqueous Solution ( continued )

**Carcinogenicity** : CAS# 7722-84-1 ( 30% Aqueous Solution ) :

Oral, mouse: TDLo = 622 gm/kg/2Y (continuous).

ACGIH : A3 - Animal carcinogen;

IARC : IARC Group 3 - Not classifiable

NTP : Not listed

**Epidemiology** : No human information available.

**Teratogenicity** : No human information available.

**Reproductive Effects** : No human information available.

**Neurotoxicity** : No information available.

**Mutagenicity** : CAS#: 7722-84-1 ( 30% ) Mutation in microorganisms: S. typhimurium = 4400 umol/plate.; Hyman, embryo = 50 umol/L.;

Cytogenetic Analysis: Human, embryo = 20 umol/L. Mutation in Mammalian Somatic Cells: Hamster, lung = 1 mmol/L.

Hydrogen Peroxide , Concentrate=35% Aqueous Solution ( 7722-84-1 )

AIRC Group : 3 – Not Classifiable

Alcohol Ethoxylate ( cas # 68131-39-5 ) :

Product / Ingredient Name :	Result :	Species :	Exposure :
Alcohol Ethoxylate ( cas # 68131-39-5 )	LD 50 Acute Dermal	Rabbit	> 2000 mg/kg
	LD 50 Acute Oral	Rat	> 2000 mg/kg

<http://www.stepan.com/msds/00322400.pdf>

Alcohol Ethoxylate ( cas # 68131-39-5 ) : ( continued )

**Sensitization** : Not classified.

**Acute effects** : May be harmful if swallowed. May irritate skin after prolonged exposure .

**Carcinogenicity** : This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Mutagenicity** : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Reproductive effects** : This product is not expected to cause reproductive or developmental effects.

(+) – limonene ( 5989-27-5 ) :

Product / Ingredient Name :	Result :	Species :	Exposure :
limonene – cas # 5989-27-5 : ( orange oil )	LD 50 ( oral )	Rat	4400 mg/kg body weight ; ( Rat : OECD 423 ; Acute Oral Toxicity – Acute Toxic Class Method ; Literature Study ; > 2000 mg / kg bodyweight ; Rat ; Read-across )
	LD 50 ( dermal )	Rabbit	> 5000 mg / kg body weight ( Rabbit ; Weight of Evidence; Equivalent or similar to OECD 402 )
	ATE US (oral)		4400.00000000 mg / kg body weight

[file:///C:/Documents%20and%20Settings/Stan/My%20Documents/Downloads/\(en-GB\)068073\\_1.00.pdf](file:///C:/Documents%20and%20Settings/Stan/My%20Documents/Downloads/(en-GB)068073_1.00.pdf)



**GROUT SMART  
TILE & GROUT RENOVATOR  
REJUVENATES & RE-BRIGHTENS GROUT LINES**

**MADE FROM AN ENVIRONMENTALLY -  
CERTIFIED CONCENTRATE  
CLEANS HEAVY SOILS & SOAP SCUM**

TOXOLOGICAL INFORMATION ( continued )

(+) – limonene -- cas # 5989-27-5 : ( continued )


Skin Corrosion / Irritation	: Causes Skin Irritation @ pH: 4-5
Serious Eye Damage / Irritation	: Causes Serious Eye Damage @ pH: 4-5
Respiratory or Skin Sensitization	: May Cause an Allergic Skin Reaction
Germ Cell Mutagenicity	: Not Classified

(+) – limonene ( 5989-27-5 ) :

AIRC Group 3 – Not Classifiable

Aspiration Hazard	: Not Classified
Potential Adverse Human Health Effects & Symptoms	: Based on Available Data, the Classification Criteria are not met
Symptoms / Injuries After Inhalation	: May Cause Allergic Skin Reaction
Symptoms / Injuries After Skin Contact	: After Prolonged Exposure, May Cause Serious Skin Irritation
Symptoms / Injuries after Eye Contact	: After Prolonged Exposure, May Cause Serious Eye Damage

**SECTION 12 : ECOLOGICAL INFORMATION**

**ENVIRONMENTAL ACCREDITATION :** Derived from a  Green Seal Certified -- concentrated product .

This diluted , finished product used as per label directions is not considered to be a harmful to human life or the environment .

**ECOTOXICITY :**

**Aquatic Toxicity :**

\* Hydrogen Peroxide , Concentrate=35% Aqueous Solution ( 7722-84-1 ) :

- .EC50 Water Flea .....2.4 mg/ l ( 48h (fresh water) . = Concentrate=30% Aqueous Solution ( 7722-84-1 )
- \*LC50 Fish 1 .....16.4 mg/ l ( 96 h; Pimephales Promelas )
- .LC50 Carp ..... 42 mg/ l ( 48 h = Concentrate=30% Aqueous Solution ( 7722-84-1 )
- .LC50 Channel Catfish ..... 37.4 mg/ l ( 96h = Concentrate=30% Aqueous Solution ( 7722-84-1 )
- .LC50 Fathead Minnow .....16.4 mg/ l ( 96h (fresh water) = Concentrate=30% Aqueous Solution ( 7722-84-1 )
- \*EC50 Daphnia 1 ..... 2.4 mg/ l ( 48 h; Daphnia Pulex ; Solution >= 50% )
- \*EC50 Other Aquatic Organisms 1 .....2.5 mg/ l ( 72 h, Chlorella Vulgaris )
- \*LC50 Fish 2 .....37.4 mg/ l ( 96 h; Ictalurus Punctatus )
- \*EC50 Daphnia 2 ..... 7.7 mg/ l ( 24 h; Daphnia Magna ; Solution >= 50% )
- \*Threshold Limit Algae 1 .....0.1 mg/ l ( 72 h, Chlorella Vulgaris )

**Alcohol Ethoxylate , Concentrate=>90% ( 68131-39-5 ) :**

- EC50 Algae .....10 - 100 mg/ l ( 72 h = Concentrate=>90% ( 68131-39-5 )
- EC50 Daphnia .....5 - 10 mg/ l ( 48 h = Concentrate=>90% ( 68131-39-5 )
- LC50 Fish ..... 5 - 10 mg/ l ( 96 h = Concentrate=>90% ( 68131-39-5 )

NOTE : Over prolonged exposure periods , Alcohol Ethoxylate , Concentrate=>90% ( 68131-39-5 ) may be toxic to aquatic life with long lasting effects .



**GROUT SMART  
TILE & GROUT RENOVATOR  
REJUVENATES & RE-BRIGHTENS GROUT LINES**

**MADE FROM AN ENVIRONMENTALLY -  
CERTIFIED CONCENTRATE  
CLEANS HEAVY SOILS & SOAP SCUM**

**ECOLOGICAL INFORMATION : ( continued )**

**(+) – limonene ( 5989-27-5 ) :**

LC50 Fish 1 .....	720 mg/l ( 96 h; Pimephales Promelas ; Lethal )
EC50 Daphnia 1 .....	0.36 mg/l ( 48 h; Daphnia Magna; GLP )
LC50 Fish 2 .....	702 mg/l ( 96 h; Pimephales Promelas )
Threshold Limit Algae 1 .....	150 mg/l ( 72 h, Desmodesmus Subspicatus ; GLP )
Threshold Limit Algae 2 .....	2.62 mg/l ( 72 h, Desmodesmus Subspicatus )

**“ Grout Smart ” as a finished product :**

Persistence and Degradability .....Not Established

**PERSISTENCE AND DEGRADABILITY :**

**Hydrogen Peroxide , Concentrate=35% Aqueous Solution ( 7722-84-1 ) :**

Persistence and Degradability .....	Biodegradability : Not Applicable . No test data on mobility of the components available.
.....	Photolysis in air .
Biochemical Oxygen Demand ( BOD ) .....	Not Applicable
Chemical Oxygen Demand ( COD ) .....	Not Applicable
ThOD .....	Not Applicable
BOD ( % of ThOD ) .....	Not Applicable

**Alcohol Ethoxylate , Concentrate=>90% ( 68131-39-5 ) :**

Persistence / degradability : Readily biodegradable.  
Bioaccumulation / Accumulation : ND

**(+) – limonene ( 5989-27-5 ) :**

Persistence and Degradability .....	Readily Biodegradable in Water . Forming Sediments n Water . Absorbs into Soil .
ThOD .....	3.29 g O2 /g Substance

**BIOACCUMULATIVE POTENTIAL :**

**“ Grout Smart ” as a finished product** .....Not Established

**Hydrogen Peroxide , Concentrate=35% Aqueous Solution ( 7722-84-1 )**

Log Pow .....	-1.36
Bioaccumulative Potential .....	Bioaccumulation : Not Applicable

**(+) – limonene ( 5989-27-5 ) :**

BCF Fish 1 .....	864.8 – 1022 ( Pisces; Fresh Weight )
Log Pow .....	4.38 ( Experimental Value : ) OECD 117 : Partition Coefficient ( n-octanol/water ; HPLC Method 37 ° C )
Bioaccumulative Potential .....	4 ≥ Log Kow ≤ 5

**TERRESTRIAL TOXICITY ( “Grout Smart ” ) :** .....No Additional Information Available

**MOBILITY IN SOIL ( “Grout Smart ” ) :** .....No Additional Information Available

**OTHER ADVERSE EFFECTS :**

Effect on Ozone Layer ( “Grout Smart ” ) .....No Additional Information Available

Effect on Global Warming ( “Grout Smart ” ) .....No Additional Information Available



## **GROUT SMART TILE & GROUT RENOVATOR**

**CLEANS HEAVY SOILS & SOAP SCUM**

### **SECTION 13 : DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations** : Dispose in safe manner in accordance with local / state/federal regulations . Dispose of contents / container in accordance with local/regional/national/ international regulations . Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities while adhering to the necessary regulations .

**Ecology – Waste Materials** : Avoid release into environment .

**Recommended Cleansing Agents** : Water Only

### **SECTION 14 : TRANSPORT INFORMATION**

**US Department of Transportation ( DOT ) “ Grout Smart ” as a finished product** : Not Regulated

**Water Transportation ( IMO ) “ Grout Smart ” as a finished product** : Not Regulated

**Air Transportation ( IATA ) “ Grout Smart ” as a finished product** : Not Regulated

**Hydrogen Peroxide , Concentrate=40% Aqueous Solution ( 7722-84-1 )**

**UN Number ( DOT, IMDG, IATA )** ..... UN 2014

**UN Proper Shipping Name ( DOT, IMDG, IATA )** .....Hydrogen Peroxide Aqueous Solution

**Transport Hazard Class(es) ( DOT, IMDG, IATA )** .....5.1-8 Oxidizer / Corrosive ( @ 40% ) / Unknown ( @ 4 % )

**Packing Group ( DOT, IMDG, IATA )** ..... II ( @ 40% ) / Unknown ( @ 4 % )

**Environmental Hazards : Marine Pollutant ( Yes/No )** .....NO

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**...Not Applicable

**Shipping Restrictions** : Air forbidden for concentration greater than 40 %

For concentrations under 40 % : Passenger Aircraft – 1 L Max. pkg. / Cargo Aircraft Only – 5 L Max. pkg.

### **SECTION 15 : REGULATORY INFORMATION**

**Safety, Health, and Environmental Regulations/Legislation specific for the substance or mixture .**

**SARA 313 : ( “ Grout Smart ” ) as a Ready-to-Use finished product )** : No reportable ingredients at existing percentages .

**UNITED STATES ( USA )**

**SARAH Section 302 Components**

**The following components are subject to reporting levels established by SARA Title III, Section 302 :**

Hydrogen Peroxide ( CAS# 7722-84-1 ) -- Revision Date : 1993-04-24

**SARAH Section 313 Components** This material does not contain any chemical components with known CAS Numbers that exceed the threshold (De Minimis ) reporting levels established by SARA Title III, Section 313 .

**TSCA ( Toxic Substances Control Act )**.....All Ingredients are Listed

**NTP ( National Toxicity Program ) ( “ Grout Smart ” )** : None of the Ingredients are listed

**Toxicity IARC ( International Agency for Research on Cancer )** Hydrogen Peroxide Concentrate –cas # : 7722-84-1 ( @ 35 % Aqueous Solution )

**OSHA ( Occupational Safety and Health Administration ) ( “ Grout Smart ” )** : None of the Ingredients are listed

**Pennsylvania Right-to-Know Components** : Water ( CAS# 7732-18-5 ) // Hydrogen Peroxide ( CAS# 7722-84-1 ) -- Revision Date : 1993-04-24

**Massachusetts Right-to-Know Components** : Water ( CAS# 7732-18-5 ) // Hydrogen Peroxide ( CAS# 7722-84-1 ) -- Revision Date : 1993-04-24

**Proposition 65 ( California )** : This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm .

**Chemicals Known to Cause Cancer** .....Ingredients are Not Listed

**Chemicals Known to Cause Reproductive Toxicity for Females** ..... Ingredients are Not Listed

**Chemicals Known to Cause Reproductive Toxicity for Males** ..... Ingredients are Not Listed

**Chemicals Known to Cause Developmental Toxicity** .....Ingredients are Not Listed

**Carcinogenic Categories :**

**EPA ( Environmental Protection Agency )** .....Ingredients are Not Listed

**International Regulations :**

**CANADA , EU-REGULATIONS** .....No Additional Information Available





**GROUT SMART  
TILE & GROUT RENOVATOR  
REJUVENATES & RE-BRIGHTENS GROUT LINES**

**MADE FROM AN ENVIRONMENTALLY -  
CERTIFIED CONCENTRATE  
CLEANS HEAVY SOILS & SOAP SCUM**

**SECTION 16 : OTHER INFORMATION**

HMIS Rating		GHS classification ratings order of severity differ from NFPA and HMIS	
HEALTH	0	HMIS/NFPA Hazard Ratings	GHS Hazard Categories
FLAMMABILITY	0	0= Minimal Hazard	Cat 1 ~ Severe Hazard
PHYSICAL HAZARD	0	1= Slight Hazard	Cat 2 ~ Serious Hazard
PERSONAL PROTECTION	B	2= Moderate Hazard	Cat 3 ~ Moderate Hazard
		3= Serious Hazard	Cat 4 ~ Slight Hazard
		4= Severe Hazard	Cat 5 ~ Minimal Hazard

**DISCLAIMER :** This document is intended to provide a brief summary of our present knowledge and guidance regarding the use of this material . The information set forth herein has been compiled from sources to be dependable and is believed to be accurate as of the date of issuance . This information is offered in good faith by HEALTHY CLEAN BUILDINGS and no warranty, expressed or implied, is made . The user assumes all liability for any damage or injury resulting from misuse, from any failure to adhere to recommended practices according to product label ( and such ), or from any hazards inherent in the nature of the product . This document shall not constitute a guarantee for any specific product features and shall not establish a legally valid contracted relationship.

Footnotes : CALC-Calculated; COR-Corrosive; CS-Cancer Suspect Agent; EST-Estimated; HMIS-Hazardous Material Identification System; NA-Not Applicable; ND-No Data ; NE – Data Not Established; OX- Oxidizer; PEL-Permissible Exposure Limit; PPI-Personal Protection Index ; STEL-Short Time Exposure Limit; TLV-Threshold Limit Value; TWA-Time Weighted Average